



1140 West Washington Boulevard  
Chicago, IL 60607  
**(312) 666-4700 Fax: (312) 666-4788**  
**Service Hotline (877) 724-8618**  
www.regal-biz.com



510 Progress Street  
Munster, IN 46321  
(219) 934-2800 (708) 474-8282  
(877) Copier-4 fax:(219) 934-2810  
www.gateway-biz.com

Date

## Networking and FMA Acknowledgement Form

Company		Sales Rep	
Address		City	State
Key Contact		( ) - X	Email
IT Contact	On-Site <input type="checkbox"/>	( ) - X	Email

MFP/Printer Model  COPIER ONLY  Emperon  Fiery, internal  Fiery, external  Creo   
MicroPress

### Power Requirements

<b>15A / 120V</b>  <b>NEMA: 5-15R</b> <b>Volts: 120V AC</b> <b>Amps: 15A</b>	<input type="checkbox"/> Examples: bizhub 223, 283, 363, 423, 501, C35, C222, C280, C360, All Desktop devices, KIP 3xxx Lexmark	<b>20A / 120V</b>  <b>NEMA: 5-20R</b> <b>Volts: 120V AC</b> <b>Amps: 20A</b>	<input type="checkbox"/> Examples: bizhub 601, 751, C452, C552 &DS, C652 &DS, KIP 5xxx	<b>20A / 208V</b>  <b>NEMA: 6-20R</b> <b>Volts: 208-240V AC</b> <b>Amps: 20A</b>	<input type="checkbox"/> Examples: bizhub Pro 950, C5501, C6501,	<b>30A / 250V</b>  <b>NEMA: L6-30R</b> <b>Volts: 250V AC</b> <b>Amps: 30A</b>	<input type="checkbox"/> Examples: bizhub Pro 1051, 1200, bizhub PRESS C8000
--	---	--	--	--	--	---	--

All bizhub products are sold with ESP power filters which prolong equipment life and improve image output consistency.

### Power Requirement Acknowledgement

Customer acknowledges power requirements for the equipment and agrees to provide a proper electrical supply and receptacles for required outlet(s) checked in boxes. A dedicated outlet is recommended for any multifunction device, accessory, or print controller to minimize potential problems caused by voltage fluctuations. Due to the irregular nature of power currents Gateway/ Regal installs proper ESP Power Filter (added cost), **unless specifically declined by client**, to protect against system damage. ESP provides full insurance against power-related service charges.

ESP Power Filter **declined** by client ... Initial \_\_\_\_\_

### Networking Acknowledgement

Gateway/Regal will provide software and drivers for the equipment described in this document and will be responsible for installing said software on 3 workstations. Additional installations are chargeable. If the listed network configuration changes after the initial installation and those changes require our equipment to be re-configured, these services are chargeable. Gateway/Regal may configure the device to provide automatic meter reads. Ultimately, the customer is responsible for providing a functional network and associated hardware for the system connectivity. Gateway/Regal may require the assistance of the customer's network support staff, consultant, or contractor to complete the install. The customer is solely responsible for these costs. Any work or changes outside this scope of work may be subject to additional charges.

Initial [ ] I have read and acknowledge the above information to be accurate and understand the required hardware and software needed for the installation on my leased/purchased Gateway/Regal equipment.

### Non-Networked Acknowledgement Initial [ ]

**Customer chooses to NOT connect their equipment to a network at this time.** The customer understands that network installation may be performed at a later date and that installation may be a chargeable service. Network connectivity may require an additional purchase of a print controller from Gateway/Regal.

### Color Calibration for Print Controller and/or MFP Initial [ ]

Customer understands the need to calibrate the MFP with either the Fiery or Creo Print Controller on a regular basis. "Off the Glass" calibrations do not provide optimal color accuracy and fidelity. For color critical applications Gateway/Regal recommends the Gretag MacBeth ES-1000 or X-Rite's DT32 or DT34. If Gateway/Regal Service is engaged to perform system calibration, and the calibration corrects the color concern, this will be a chargeable service call at prevailing service rates.

Signature	Printed or Typed Name
Title	Date
GRBS Sales Rep	GRBS Systems Engineer
	Installation Complete



**Workstation Operating System(s)** Please indicate quantity

<input type="checkbox"/> Win NT qty	<input type="checkbox"/> Win 2000/XP Pro qty	<input type="checkbox"/> Win XP Home qty	<input type="checkbox"/> Win Vista qty	<input type="checkbox"/> Win 7 qty
<input type="checkbox"/> Unix/Linux qty	<input type="checkbox"/> Mac OS 9 qty	<input type="checkbox"/> Mac OSX version	qty	<input type="checkbox"/> other

**Server Operating System(s)** Please indicate quantity and Version/Service Pack where applicable

<input type="checkbox"/> Win NT4, SP qty	<input type="checkbox"/> Win 2000, SP qty	<input type="checkbox"/> Win 2003, SP qty	<input type="checkbox"/> Win 2008, SP qty
<input type="checkbox"/> AS/400, SP qty	<input type="checkbox"/> Novell, ver qty	<input type="checkbox"/> Unix/Linux v. qty	<input type="checkbox"/> Mac Server OS
<input type="checkbox"/> other, SP qty			<input type="checkbox"/> <b>NO SERVER</b> , just computers on a network

**Network Environment** Check all that apply

YES	NO		Ethernet
<input type="checkbox"/>	<input type="checkbox"/>	There are sufficient dedicated electrical outlets near the equipment (see page 1)	<input type="checkbox"/> 10Mb <input type="checkbox"/> 100Mb <input type="checkbox"/> 1000Mb
<input type="checkbox"/>	<input type="checkbox"/>	There are sufficient "live" network connections near the equipment	<input type="checkbox"/> Half <input type="checkbox"/> Full <input type="checkbox"/> Auto-Negotiate
<input type="checkbox"/>	<input type="checkbox"/>	There is a Cat 5/6 Network Cable for equipment on site (GRBS does not supply)	<input type="checkbox"/> Other

**Protocol**

<input type="checkbox"/> <b>Please configure our device exactly as follows:</b> Check here if IPv6 <input type="checkbox"/>	<input type="checkbox"/> <b>No IP Address Preference</b> – Allow device to acquire its own address
Primary IP Address for MFP _____	<input type="checkbox"/> USB Connection – may require hardware opt
Secondary (if applies) IP Address for MFP _____	<input type="checkbox"/> Parallel Connection – may require hardware opt
Subnet Mask of your Company's network _____	<input type="checkbox"/> Crossover Connection
Default Gateway of your Company's network _____	<input type="checkbox"/> <b>Network Firewall</b> – If yes, provide Firewall Contact Person info
Primary DNS Server of your Company's network _____	_____
Secondary DNS Server of your Company's network _____	

**FMA**

Admin Email _____	Monitor – All Equipment <input type="checkbox"/> Our Equipment Only <input type="checkbox"/> Alerts sent to: _____
-------------------	--

**Additional Options**

<input type="checkbox"/> User Authentication on MFP	<input type="checkbox"/> Biometric Authentication*	Host Data Stream:
<input type="checkbox"/> User Authentication on External Server	<input type="checkbox"/> Proximity Card Authentication*	<input type="checkbox"/> AS/400
<input type="checkbox"/> Active Directory	<input type="checkbox"/> CAC Authentication*	<input type="checkbox"/> Unix/Linux
<input type="checkbox"/> NDS	*Optional hardware required on supported devices. Cannot be combined with External Server option without optional software.	<input type="checkbox"/> FreeFlow/Digipath
<input type="checkbox"/> NTLM		<input type="checkbox"/> Other
<input type="checkbox"/> Account Track (department codes)		

**Printing for Mac & Windows**

<input type="checkbox"/> PCL 5/6	<input type="checkbox"/> PostScript (emulated)	<input type="checkbox"/> PostScript (Adobe®) requires hardware opt
<input type="checkbox"/> Universal PCL	<input type="checkbox"/> Universal PostScript (emulated)	<input type="checkbox"/> Fax driver or utility
<i>PCL is most commonly used by general office applications like word processing, email, spreadsheets and web pages.</i>	<i>PostScript is most commonly used, and sometimes required by, graphics and drafting applications like InDesign and AutoCAD.</i>	<i>bizhubs equipped with a fax option have print drivers or utilities that allow users to fax from their desktop applications.</i>

**Printing (from which applications...)**

<input type="checkbox"/> Adobe Products v. Illustrator v. PageMaker v. InDesign v. <input type="checkbox"/> CorelDRAW v. <input type="checkbox"/> CrystalReports v.	<input type="checkbox"/> Autodesk AutoCAD v. <input type="checkbox"/> MS Office Products v.	<input type="checkbox"/> QuarkXPress v. <input type="checkbox"/> _____ v. <input type="checkbox"/> _____ v.
---	--	---

**Software and/or Hardware** purchased from GRBS to be installed by Technician or Vendor ... check all that apply

<input type="checkbox"/> EFI Command Workstation	<input type="checkbox"/> Captaris RightFax connector	<input type="checkbox"/> MicroPress	<input type="checkbox"/> PS Data Administrator
<input type="checkbox"/> EFI Impose/Compose	<input type="checkbox"/> Objectif Lune Planet Press	<input type="checkbox"/> Creo EZ Connect	<input type="checkbox"/> PS Net Care
<input type="checkbox"/> EFI Color Profiler Suite	<input type="checkbox"/> Objectif Lune PrintShop Mail	<input type="checkbox"/> Fujitsu scanner	<input type="checkbox"/> PS Box Operator
<input type="checkbox"/> EFI GA or Prod Print Pkg	<input type="checkbox"/> Nuance Unity Suite	<input type="checkbox"/> Jamex	<input type="checkbox"/> eCopy ScanStation
<input type="checkbox"/> Other _____	<input type="checkbox"/> KIP	<input type="checkbox"/> PS Enterprise Suite	<input type="checkbox"/> eCopy PaperWorks



**Faxing** optional hardware may be required

**Internet Fax** Does not require fax hardware but the device must be configured for email. Complete Scan to Email section below.

**PC Fax** enables user to fax directly from a Windows print driver or, depending on the device, a Windows fax utility. Check Fax Driver on page 2.

**Fax Forwarding** Incoming faxes can be forwarded to ONE of the following destinations.

**Email** (if device is email enabled) \_\_\_\_\_ @ \_\_\_\_\_ . \_\_\_\_\_

**User Box** on the bizhub's own hard drive (if equipped) **Box Name** \_\_\_\_\_

**Network Folder** (see Scan to SMB below)  
Computer Name or Static IP \_\_\_\_\_ User ID\* \_\_\_\_\_ User Pwd\* \_\_\_\_\_

**Scanning** Complete ALL information related to each type of scanning requested. Contact your Sales Representative if you have questions.

**Scan to Email** Mail Server details.

**On-Site** SMTP Server IP Address \_\_\_\_\_ (ie. - 192.168.1.2)  Anonymous login

Dynamic login if using User Authentication via Active Directory

Static Authenticated login\* \_\_\_\_\_ password \_\_\_\_\_

**Off-Site** SMTP Server Address \_\_\_\_\_ (ie. - smtp.comcast.net or outgoing.verizon.net)  Account login \_\_\_\_\_ password \_\_\_\_\_

(ie. - Login: [boduke@yahoo.com](mailto:boduke@yahoo.com) Password: generallee)

**Port** \_\_\_\_\_ 25 is default but may be blocked by your ISP

**LDAP Search** Server IP Address \_\_\_\_\_ LDAP Container Information

Anonymous Login DC= \_\_\_\_\_ DC= \_\_\_\_\_ O= \_\_\_\_\_ or

Secure login\* \_\_\_\_\_ password \_\_\_\_\_ CN= \_\_\_\_\_ OU= \_\_\_\_\_ O= \_\_\_\_\_

**Scan to User Box** AKA Scan to HDD on the bizhub Pro Series. **Available when the bizhub is equipped with a Hard Disk Drive.**

- EFI Fiery controllers use Fiery Web Scan installed on a Java enabled PC to import scans to PC
- bizhub Emperon controllers use PageScope Web Connect (no software needed on networked PC) to import scans to PC
- PageScope Box Operator, free to bizhub owners, installs on networked Windows PCs

**Scan to FTP** Requires FTP Services or FTP Utility software on the destination PC or Server.

Will sub-folders be used within the FTP Root folder?  Yes ... Provide folder paths to installing technician.

Static FTP Server (or host PC) IP Address \_\_\_\_\_ FTP Root folder location \_\_\_\_\_

Anonymous login  Authenticated login ... FTP User ID \_\_\_\_\_ and Password \_\_\_\_\_

**Select an FTP Service or Utility from below:**

Konica Minolta FTP Utility – no extra cost

Windows IIS (Internet Information Services) must be enabled by customer on PC or Server prior to installation of MFP by GRBS technician.

**Scan to PC** Scans to a shared network folder on a PC or Server via SMB. Supported by Windows XP or newer and Mac OS 10.2 -10.7. Include ALL information for each PC (extra charge for more than 3 PCs) you would like GRBS to set up. Mac users may require a static IP address.

Computer Name OR Static IP Address (ie. JonnysPC or 192.168.1.46)	Shared Folder (ie. Scans)	Windows Login* (ie. AchmedJones)	Login Password*
	AND	AND	AND
	AND	AND	AND
	AND	AND	AND

**Scan from PC via TWAIN** "Pull" scans into TWAIN compliant applications such as MS Word and Acrobat Pro from supported bizhub models. Requires a TWAIN Scanner driver available on the driver installation discs provided with MFP or from our web site at <http://www.regal-biz.com> <http://www.gateway-biz.com> Click on the Software & Driver Download link.

\*Sensitive User IDs and Passwords are not required on this submission but they must be available to the technician **AT THE TIME OF INSTALL** to avoid a chargeable return visit.